

Net growth of oak stands ($\text{m}^3 \cdot \text{ha}^{-1} \cdot \text{year}^{-1}$)

Age, year	Relative Stocking							
	1.0	0.8	0.6	0.4	1.0	0.8	0.6	0.4
	Ib Site Index							
10	7.8	5.8	3.9	2.2	6.5	4.7	3.2	1.8
20	9.7	7.0	4.7	2.6	8.0	5.8	3.8	2.2
30	9.9	7.2	4.8	2.7	8.3	6.0	3.9	2.2
40	9.5	6.8	4.5	2.5	8.0	5.7	3.8	2.1
50	8.7	6.3	4.2	2.3	7.4	5.3	3.5	2.0
60	7.8	5.6	3.7	2.1	6.6	4.8	3.1	1.8
70	6.9	4.9	3.3	1.8	5.9	4.2	2.8	1.6
80	6.0	4.3	2.8	1.6	5.2	3.7	2.4	1.4
90	5.2	3.7	2.5	1.4	4.5	3.2	2.1	1.2
100	4.4	3.2	2.1	1.2	3.9	2.8	1.8	1.0
110	3.8	2.7	1.8	1.0	3.3	2.4	1.6	0.9
120	3.2	2.3	1.5	0.9	2.9	2.1	1.4	0.8
130	2.7	2.0	1.3	0.7	2.4	1.8	1.2	0.7
140	2.3	1.7	1.1	0.6	2.1	1.5	1.0	0.6
150	1.9	1.4	0.9	0.5	1.8	1.3	0.8	0.5
160	1.6	1.2	0.8	0.4	1.5	1.1	0.7	0.4
180	1.2	0.8	0.6	0.3	1.1	0.8	0.5	0.3
	I Site Index							
10	5.2	3.7	2.5	1.4	3.9	2.8	1.8	1.0
20	6.6	4.7	3.1	1.8	5.2	3.7	2.4	1.4
30	6.9	4.9	3.2	1.8	5.6	3.9	2.6	1.5
40	6.7	4.7	3.1	1.8	5.5	3.9	2.5	1.5
50	6.2	4.4	2.9	1.7	5.2	3.6	2.4	1.4
60	5.6	4.0	2.6	1.5	4.7	3.3	2.2	1.3
70	5.0	3.6	2.4	1.3	4.2	3.0	2.0	1.2
80	4.4	3.1	2.1	1.2	3.7	2.6	1.7	1.0
90	3.9	2.7	1.8	1.0	3.2	2.3	1.5	0.9
100	3.3	2.4	1.6	0.9	2.8	2.0	1.3	0.8
110	2.9	2.1	1.4	0.8	2.4	1.7	1.1	0.7
120	2.5	1.8	1.2	0.7	2.1	1.5	1.0	0.6
130	2.1	1.5	1.0	0.6	1.8	1.3	0.8	0.5
140	1.8	1.3	0.9	0.5	1.5	1.1	0.7	0.4
150	1.5	1.1	0.7	0.4	1.3	0.9	0.6	0.4
160	1.3	0.9	0.6	0.4	1.1	0.8	0.5	0.3
180	0.9	0.7	0.4	0.3	0.8	0.6	0.4	0.2

Net growth of oak stands ($\text{m}^3 \cdot \text{ha}^{-1} \cdot \text{year}^{-1}$)

Age, year	Relative Stocking							
	1.0	0.8	0.6	0.4	1.0	0.8	0.6	0.4
	III Site Index				IV Site Index			
10	2.7	1.9	1.2	0.7	1.8	1.2	0.8	0.5
20	3.9	2.7	1.8	1.1	2.8	1.9	1.2	0.8
30	4.4	3.1	2.0	1.2	3.3	2.2	1.4	1.0
40	4.4	3.1	2.0	1.2	3.3	2.3	1.5	1.0
50	4.2	2.9	1.9	1.2	3.2	2.2	1.4	1.0
60	3.8	2.7	1.8	1.1	2.9	2.0	1.3	0.9
70	3.4	2.4	1.6	1.0	2.6	1.8	1.2	0.8
80	3.0	2.1	1.4	0.9	2.3	1.6	1.0	0.7
90	2.6	1.8	1.2	0.7	2.0	1.3	0.9	0.6
100	2.3	1.6	1.0	0.6	1.7	1.2	0.8	0.5
110	1.9	1.3	0.9	0.6	1.4	1.0	0.6	0.4
120	1.7	1.2	0.8	0.5	1.2	0.8	0.5	0.4
130	1.4	1.0	0.6	0.4	1.0	0.7	0.5	0.3
140	1.2	0.8	0.5	0.3	0.8	0.6	0.4	0.3
150	1.0	0.7	0.5	0.3	0.7	0.5	0.3	0.2
160	0.8	0.6	0.4	0.2	0.6	0.4	0.3	0.2
180	0.6	0.4	0.3	0.2	0.4	0.3	0.2	0.1